KING Polyweave

Code	Dimension	GSM	Colours
KPPW1	1830mm x 100m	100 Micron	White



KING Polyweave

KING Polyweave is a double-laminated, woven polypropylene sheet designed for temporary floor and surface protection on construction sites. Its water- and dust-resistant surface shields floors from damage during the build, while remaining easy to clean up once work is complete.

Key Benefits

- Water and dust resistant
- Anti-slip surface for on-site safety
- Durable, reinforced woven construction
- Cost-effective temporary weatherproofing
- Easy clean-up after construction



WATER RESISTANCE

LIGHTWEIGHT

ANTI- SLIP

RECYCLABLE

Main Applications

- General floor and surface protection during construction
- Temporary on-site weatherproofing
- Renovation and building sites requiring large-area ground cover



KING Carpet Protection Film

Code	Dimension	GSM	Colours
KCPF1	500mm x 100m	100 Micron	Clear
KCPF2	800mm x 100m	100 Micron	Clear



KING Carpet Protection Film

KING Carpet Protection Film is a high-performance, self-adhesive temporary film engineered for carpets. It provides a tough, puncture-resistant barrier that stays securely in place without shifting or sliding, keeping carpets clean and protected throughout construction and renovation work.

Key Benefits

- High-adhesion, anti-slip backing that stays in place
- Tear-resistant and puncture-resistant barrier
- 100% waterproof protection
- Residue-free, easy clean removal
- Fast and easy application



WATER RESISTANCE

LIGHTWEIGHT

ANTI- SLIP

RECYCLABLE

Main Applications

- Synthetic carpet protection during construction and renovation
- Residential projects
- Commercial and multi-stage renovation projects



KING Board


Code	Dimension	Colours
PBKB1	1.2m x 2.2m x 3.5mm	Light Gray
PBKB2	1.2m x 2.2m x 5.5mm	Navy Blue

*Available loose or packs of 10



KING Board

KING Board is a heavy-duty PP honeycomb protection board engineered for demanding job sites. It offers excellent load-bearing capacity strong enough to withstand forklift traffic without deformation and one side is laminated with a protective fabric layer for enhanced floor protection during use. The material is also flame-retardant, adding an extra layer of safety in fire-prone environments.



Key Benefits

- Excellent load-bearing capacity — withstands forklift traffic without deformation
- Felt-laminated surface for enhanced floor protection
- Flame-retardant material for added on-site safety
  Water-resistant and reusable across multiple project stages

FIRE RESISTANCE
LIGHTWEIGHT
UV RESISTANCE
IMPACT RESISTANCE
WATER RESISTANCE
RECYCLABLE
ANTI- SLIP
STABLE STRUCTURE



Main Applications

- Tile, stone, marble, vinyl or timber floors
- Doors, walls and columns
- Benchtops and cabinetry
- Windows
- Staircases

KING Coreflute

Code	Dimension	Colours
PBKCF1	1.2m x 1.8m x 2.5mm	Black

*Available loose or packs of 10




KING Coreflute

PPP Corrugated Sheet is made from polypropylene using extrusion technology. The sheet structure has two smooth outer surfaces with a middle vertical rib structure.

Key Benefits

- Great impact resistance
- Twin Wall Structure: Improved impact protection for floors and surfaces
- Water-Resistant: Suitable for retaining walls, subsoil membranes or formwok



WATER RESISTANCE


LIGHTWEIGHT

RECYCLABLE

IMPACT RESISTANCE

Main Applications

- Tile, stone, marble, vinyl or timber floors
- Doors, walls and columns
- Benchtops and cabinetry
- Windows
- Staircases



KING Masking Tape

Code	Dimension	GSM	Colours
KMTB48	48mm x 25m	120 GSM	BLUE
KMTY48	48mm x 25m	120 GSM	YELLOW



KING Masking Tape

KING Masking Tape is a crepe paper tape with an easy-release adhesive, designed for clean, sharp paint lines and temporary holding applications. It conforms easily to curves and edges, and removes cleanly without leaving residue or damaging surfaces.

Key Benefits

- Crepe paper backing conforms easily to curves and edges
- Clean, residue-free removal
- Easy to tear by hand
- Suitable for multi-day masking without leaving gum residue
- Available in Blue and Yellow for colour coding



EASY RELEASE

LIGHTWEIGHT

RECYCLABLE

Main Applications

- Painting and edge masking
- Temporarily securing protective sheeting and film
- Bundling, labelling and colour-coded marking on site



KING Sticky Tacky Matt

Code	Dimension	GSM	Colours
KSTM1	600mm x 900mm(30 sheets)	30 GSM	Blue



KING Sticky Tacky Matt

KING Sticky Tacky Matt is a peel-o ffadhesive floor mat placed at entry points to remove dirt, dust and debris from the soles of footwear and wheeled equipment before entering a clean or controlled work area. Each mat contains 30 tacky sheets simply peel away the top layer once it becomes dirty to reveal a fresh, clean adhesive surface underneath.

Key Benefits

- Removes dirt and dust from shoe soles and wheels at entry points
- 30 peel-away layers for extended use
- Keeps clean and controlled areas free of contaminants
- Quick and easy to replace



DUST RESISTANCE LIGHTWEIGHT RECYCLABLE

Main Applications

- Cleanroom and controlled-environment entrances
- Construction site entry and exit points
- Areas requiring dust and contamination control



KING Cloth Tape

Code	Dimension	GSM	Colours
KCTB48	48mm x 25m	300 GSM	BLACK
KCTW48	48mm x 25m	300 GSM	WHITE
KCTB72	72mm x 25m	300 GSM	BLACK
KCTW72	72mm x 25m	300 GSM	WHITE



KING Cloth Tape

KING Cloth Tape is a heavy-duty, cloth-backed adhesive tape designed for general-purpose bonding, sealing and repair work on the job site. Its reinforced fabric backing tears easily by hand while resisting stretching and moisture, making it ideal for sealing floor and surface protection sheeting, bundling, and quick repairs.



Key Benefits

- Strong, reinforced cloth backing
- Tears easily by hand, no tools required
- High-tack adhesive for secure hold on multiple surfaces
- Water-resistant and durable in job-site conditions
- Available in multiple widths and colours

WATER RESISTANCE

LIGHTWEIGHT

HIGH ADHESION

RECYCLABLE



Main Applications

- Sealing joints and seams of floor, carpet and glass protection sheeting
- General construction bundling, patching and repairs
- Colour-coded marking or labelling on site

KING Fleece

Code	Dimension	GSM	Colours
KPFL1	1000mm x 50m	160 GSM	White



KING Fleece

KING Fleece is a premium white protective fleece that keeps floors clean and gives the job site a professional appearance. Beyond its superior impact protection and liquid-barrier properties, it can be custom logo printed, turning every project site into a branding opportunity while keeping floors perfectly safe.

Key Benefits

- Self-adhesive, stays securely in place
- 100% waterproof liquid barrier
- High impact resistance
- Residue-free, easy removal
- Reusable across multiple jobs



WATER RESISTANCE
LIGHTWEIGHT
ANTI- SLIP
RECYCLABLE
IMPACT RESISTANCE

Main Applications

- Hardwood, tile, concrete, laminate and other hard flooring
- Construction and renovation job sites
- Projects requiring a clean, professional site appearance



KING Stair Edge Protection

Code	Dimension	Colours
SEKP1	1180mm x 420mm x 5mm	Navy Blue



KING Stair Edge Protection

KING Stair Edge Protection is a felt-backed PP honeycomb board engineered for heavy-duty stair tread protection. It offers excellent load-bearing capacity and impact resistance, with one side laminated in a protective fabric layer for enhanced surface protection during construction and renovation.

Key Benefits

- Great load-bearing and impact resistance
- Felt-backed surface for enhanced stair tread protection
- Water-resistant and easy to wipe clean
- Reusable across multiple construction stages



STABLE STRUCTURE
LIGHTWEIGHT
WATER RESISTANCE
IMPACT RESISTANCE
ANTI- SLIP
RECYCLABLE

Main Applications

- Stair treads and steps during construction and renovation
- Apartments, hotels and office tower fit-outs
- High-traffic staircases requiring temporary protection

